



# QINGDAO AURO PACK CO.,LTD

Customer:  
I.M.PACKAGING  
GROUP INC  
ADD:

102-423 KINGCI GLOBAL  
TOWN, 78 TIEQISHAN RD,  
266106, QINGDAO,CN  
TEL:86-532-87983156  
[www.auropack.com](http://www.auropack.com)

J113

2020-10-20

## Certificate of Compliance for Pipette

We hereby certify that the pipette we supply up to follow standard:

The bulb is made of silica gel. Silica gel is a granular, vitreous, porous form of silicon dioxide made synthetically from sodium silicate. Silica gel, also referred to as silica aerogel or hydrated silica, has FDA GRAS (generally recognized as safe) status, meaning it can be added to food products without needing approval.

The collar are made from Polypropylene (PP), also known as polypropylene, is a thermoplastic polymer used in a wide variety of applications including packaging and labeling. Polypropylene is isotactic and has an intermediate level of crystallinity between that of low-density polyethylene (LDPE) and high-density polyethylene (HDPE). Polypropylene is normally tough and flexible which is suitable for making caps, telephone set, pipe and so on.

The glass dropper is made of glass tube. The glass tube is low borosilicate glass which meets USP TYPE, comply with China SDF A YBB0272002, and meet the chemical characteristics specified in the Chinese Pharmacopoeia 25<sup>th</sup> edition and European Pharmacopoeia 6<sup>th</sup> edition, and in the United Stated Pharmacopoeia USP 31<sup>st</sup> edition.

Company name: QINGDAO AURO PACK CO.,LTD  
Location: 102-423 KINGCI GLOBAL TOWN, 78 TIEQISHAN RD,  
266106,QINGDAO,CN

Signed:



Qingdao, 4/5/2022

## FDA DECLARATION OF THE INK USED ON GLASS PIPETTE

**Ref:**

We certify that our brown as well as black INK used on glass pipette are Lead-Free and conform to the GHS, no special risk and can be used on packing of food packaging glass containers for direct food contact Food Category-Production of Food Packaging and Packaging Material  
Testing results are as below,

### Test Report

Report No. ECL01J009784001R1

Page 2 of 4

**Test Result(s)**

Tested Item(s)	Result	MDL
Lead (Pb)	N.D.	2 mg/kg
Cadmium (Cd)	N.D.	2 mg/kg
Mercury (Hg)	N.D.	2 mg/kg
Hexavalent Chromium (Cr(VI))	N.D.	2 mg/kg

Tested Item(s)	Result	MDL
<b>Polybrominated Biphenyls(PBBs)</b>		
Monobromobiphenyl	N.D.	5 mg/kg
Dibromobiphenyl	N.D.	5 mg/kg
Tribromobiphenyl	N.D.	5 mg/kg
Tetrabromobiphenyl	N.D.	5 mg/kg
Pentabromobiphenyl	N.D.	5 mg/kg
Hexabromobiphenyl	N.D.	5 mg/kg
Heptabromobiphenyl	N.D.	5 mg/kg
Octabromobiphenyl	N.D.	5 mg/kg
Nonabromobiphenyl	N.D.	5 mg/kg
Decabromobiphenyl	N.D.	5 mg/kg

Tested Item(s)	Result	MDL
<b>Polybrominated Diphenyl Ethers(PBDEs)</b>		
Monobromodiphenyl ether	N.D.	5 mg/kg
Dibromodiphenyl ether	N.D.	5 mg/kg
Tribromodiphenyl ether	N.D.	5 mg/kg
Tetrabromodiphenyl ether	N.D.	5 mg/kg
Pentabromodiphenyl ether	N.D.	5 mg/kg
Hexabromodiphenyl ether	N.D.	5 mg/kg
Heptabromodiphenyl ether	N.D.	5 mg/kg
Octabromodiphenyl ether	N.D.	5 mg/kg
Nonabromodiphenyl ether	N.D.	5 mg/kg
Decabromodiphenyl ether	N.D.	5 mg/kg

**Tested Sample/Part Description** See the sample photo for your information

**Remark:** The sample(s) had been dissolved totally tested for Lead, Cadmium, Mercury.

-MDL = Method Detection Limit

-N.D. = Not Detected (<MDL )

-mg/kg = ppm = parts per million

**Note :** This testing report displaces the original report of No. ECL01J009784001, and the original one No. ECL01J009784001 was invalid since the date of this testing report released.

**Company name:**  
**Location:**

Qingdao Auro Pack Co., Ltd.  
102-423 Kingci Global Town, 78 Tieqishan RD, 266100  
Qingdao, CN

